



forwarding information from active application on electronic device to exchange

Search

Advanced Search Preferences

assist 19,400 for forwarding information from active application on electronic device to exchange manager along with Uniform Resource Locator string containing identified transport mechanism for communicating said information using defined communication protocol. (0.59 seconds)

Glossary

Enterprises run their businesses using the Information stored in these systems.
Internet inter-ORB protocol (IIOP) is an Internet transport protocol used by CORBA objects Oracle Application Server Active Failover Clusters are a high Uniform Resource Locator (URL), a form of URI, is a compact string ... download oracle com/docs/cd/E14093_19/core 1012/b13994/glossary.htm - 1858 - Cached - Settlet osces

2. Glossary

Enterprises run their businesses using the information stored in these systems.
Health Level Seven (HL7) is a standard for electronic data exchange in health ...
HTTP is the protocol used between Oracle Application Server and clients.
Uniform Resource Locator (URL), a form of URI, is a compact string ...
download oracle condobosicol/E15804_01/core.1012/618984/glossary.htm - 177k
- Capters - Standarchestes

3. Systems And Methods For Establishing A Communication Session Among ...

The QSIG protocol carries user and feature information between private ... As used herein, Internet refers to the electronic communications network If the active window is a Microsoft Word window, the application In some embodiments, the user interface element 360 includes a Uniform Resource Locator. ...

www.psients.com/Systems-And-Mathods-For-Establishing-A-Communication-Session-Among-End-Points(.../en-US/ - 114k - Carried - Signal Space).

4. Network Management and Application Parameter adaptability

The network-Information is stored in a Management Information Base which can ... although it currently only defines HTTP as a transport protocol in the ... mechanism that can be used to exchange instances of application-defined datatypes. ... Each managed device registers to an LDAP directory using a distinguished ... www.caip.nutgers.edu/~virosentro/CLASSES/AMS.trimt - 25k - Geates - Statiscusters.

5. vCalendar: The Electronic Calendaring and Scheduling Exchange Format

The versit vision is to enable diverse **communication** and computing devices, It is appropriate, then that this specification **define** this **information** in terms of a ... This **exchange** may take place **using** desktop **application** interaction ... URL: **Uniform Resource Locator**, a **string** expression that can represent any ...

**www.imc.org/pdd/vcal-10 ht - 1078 - Capter - Girnler Lease.

6. Electronic Commerce Glossary

The Information Management philosophy is founded on business process improvement. ... Communication Protocol (CP): The rules governing the exchange of which in this case is a Uniform Resource Locator (URL) (the string enclosed for a type of device driver that allows multiple transport protocols to run ...

www.pmel.org/EC-Glossary.htm - 109k - Cached - Smilat pages

7. Method and apparatus for utilizing online presence information ...

Feb 21, 2002 ... Computers and computer networks are used to **exchange information** in many ... WWW messages are primarily encoded **using** Hypertext **Transport Protocol** (HTTP). ... The request **contains** the **communication** method requested for the ... This addressing scheme is called the **Uniform Resource Locator** (URL). ...

www.freepatentscrifne.com/y2002/0021307.html - <u>Similar pages</u> by S Glenn - 2002 - <u>AR 2 versions</u>

8. Method and architecture for interactive two-way communication ...

A method as recited in claim 1, wherein said using the control engine in the link

One of the available wireless communication protocols is Handheld Device

information from service server 604 and forwarding the information that
corresponds to a resource locator in the card containing the menu items. ...

www.freepatentsonline.com/7003284.frlml - <u>Similar Gauss</u>

by BV Schwartz - 2002 - <u>Cited by 12 - Related articles</u>

Mum results from years freeestersconline.com s

 $http://www.google.com/search/ful-enders_g-forwarding-th/formation-from+active... es earch-dars_gde=illdes_t/glos=das_oxt-anydox-dars_nio-das_nih-dasde-images (1 of 12)/410/2009 42.9:25 PM$

9. SANS Institute - Glossary of Terms Used in Security and Intrusion ...

BGP is used to exchange routing information for the Internet and is the protocol used Usually, a session key is used for a defined period of communication by encapsulating the layer 2 protocol in a transport protocol (such as TCP), ... Uniform Resource Locator (URL): The global address of documents and ... www.sans.org/resources/glossary.php - 128k - Garbest - G

10. [PDF] Integration of automation design information using XML technologies

Five Format: PDF/Adobe Acrobat - View as HTML

An XML namespace is **identified** by a URI (Uniform Resource Identifier) reference. URI SOAP is a **communication protocol** for exchanging **information** between computers ... **protocols define** the **transport mechanism** for the message. promote the **exchange** of **information** related to the **management**, operation, and ... www act let (Vachiesearchia of Publications thesis, vinikiata pdf - <u>Sondar genes</u> by M Vinikiata - 2002 - <u>Case by 1 - Perioda genes</u>

11. IIS 6.0 Glossary

agent An application that runs on a Simple Network Management Protocol (SNMP) managed device. domain controller In an Active Directory forest, a server that contains a frame In synchronous communication, a package of information transmitted as It is identified by a Uniform Resource Locator (URL). ... technet microsoft com/en-us/brary/co/776488 aspx - 129% - Compact - Sindaccases.

12. Support Tools Glossary: General

Mar 28, 2003 ... In an **Active** Directory forest, a server that **contains** a writable copy of the In synchronous **communication**, a package of **information** See also: **protocol**; **Uniform Resource Locator** (URL) For **Device Manager**, any of four system components that control how the devices on a computer work ... teichnet microsoft.om/em/se/braryfot/79654.aspx - 1385 - <u>Cached - Sprike pages</u>

13. Method and system for playing associated audible advertisement $\underline{...}$

The servers 50, 54 further include a network **communication protocol** layer ... the Web site transmits one or more messages back **containing information** to be ... text into audio when the **device** requesting the Web content is **identified** as a ... HTTP proxy 80) responsible for **forwarding** the request to the particular ... www.patentstorm.us/patents/8574018/desciption.html - <u>Names pages</u>

14. Synchronization of controlled device state using state table and ...

The successful result of an SSDP search is a Uniform Resource Locator (URL),
This information is sufficient for the Rehydrator to exchange the appropriate
GENA is the protocol of communication that, in a preferred embodiment,
SZHeaders [in] null-terminated text string containing the headers for the ...
www.patentaicm.us/patents8728281/description.html - Sandar patents
More results from www.natentaicm.us/

15. RFC 3499 (rfc3499) - Request for Comments Summary RFC Numbers 3400 ...

This memo provides Information for the Internet community, (SIP) is a text-based protocol for initiating and managing communication sessions. 3446 Kim Jan 2003 Anycast Rendevous Point (RP) mechanism using Protocol allow a User Agent (UA) to request that the Uniform Resource Locator (URL) entries in ... www.tags.org/rics/thc9498 html - 876 - Cached - Sender pages

16. Systems and Methods for Voicemail Avoidance - Patent

One of the end-users 106 is in communication with a communication gateway ...
The QSIG protocol carries user and feature information between private If the active window is a Microsoft Word window, the application In some embodiments, the user interface element 360 includes a Uniform Resource Locator. ...
www.tags.org/patents/app/20090052639 - 108x - Cached - Santas pages
More results from www.face.com.

17. Data processing: database and file management or data structures ...

Freshpatents.com offers information on a variety of new patent applications, ... The database query, which is formatted using a first protocol, The attribute includes a uniform resource locator to the rendered web page, sets of the electronic communication based on previous electronic communications ...

www.freshpatents.com/Data-processing-database-and-file-management-on-data-structures-dimermor/07.php - 20.7k - Capted - Sinday pages

18. [DOC] Sources of Help and Information for Smart Card Systems Procurement

File Format: Microsoft Word - View as HTML

It aims to support and exchange information on the planning, ... Pathfinder and other active Local Authorities ... Integrated Transport Management Project, Nottingham Business School. Because LDAP is an open protocol, applications (q.v.) need not worry URL -, Uniform Resource Locator: Website address ... www.scnf.org.uk/smartstore/wp4/MP4-08 - Sources of Help Information - v3% 581%SD.0_Release.doc - Signiar pages

19. Red Hat Glossary

A special file located in sector 0 on a disk that contains information about the A protocol that allows TCP/IP communication over a computer's parallel port using a The most common Internet transport layer protocol, defined Internet ... uniform resource locator (URL). A publicly routable address for ... www.redhat.com/docs/glossary/ - 105k - Cachext - Similar pages

20. [PDF] Information and communication technologies in teacher education: a ...

File Format: PDF/Adobe Acrobat

use the new information and communication technologies (ICTs) to teach illdefined problem presents itself to the teacher working alone. The amount and rate of transmission capability of an electronic device. This is Uniform Resource Locator. An address on the World Wide Web. ...

unesdoc.unesco.org/images/0012/001295/129583e.pdf - Similar pages

21. GLOSSARY: Cataloging and Internet Terminology | STAFFWEB ...

No single DNS nameserver contains information for all Internet hosts, The Prospero protocol is also used for communication between clients and servers in the A transport layer protocol for the Internet defined by RFC793. ... Task Force has developed another convention using Uniform Resource Names (URN). ... www.florary.nor/hwestern.edu/e//TESCA/glossary/cat%20internet.html - 85k - Cached - Similar Dagse

22. Web Hosting Glossary

A Microsoft Windows file format that is used to store Information about ASF files. A standard communication protocol for retrieving emails from an email server. URL (Uniform Resource Locator). An URL is address on the Web, ... Viewer. A standalone application used to display files of different formats. ...

www.hostway.com/web-resources/glossary/index.html - 94k - Capt-ed - Similar pages

23. The RFC Archive - IETF RFCs, Internet Protocol Standards, Draft ...

The purpose of this memo is to define the Management Information Base for Evaluating Reliable Multicast Transport and Application Protocols the format of Uniform Resource Locators (URL) for designating electronic This document specifies an ATM-based protocol for communication between ST2+ agents. ... www.nlo.archive.org/index-rife-2301-2400.php = 202k = Control = Strates pages

24. InfoSysSec.com - Computer Network and Internet Security

BGP is used to exchange routing information for the Internet and is the protocol used This is the layer at which communication partners are identified, by encapsulating the layer 2 protocol in a transport protocol (such as TCP), ... Uniform Resource Locator (URL): The global address of documents and ...

www.infosyssec.com/infosyssec/moog1.html - 2k - Cached - Similar pages

25. Administration Guide

Transport level security is accomplished by using SSL to transmit all A standard for the **exchange** of **information** between a Web server and an external program. A suite of protocols designed to allow communication between networks ... URL: Uniform Resource Locator. A standard way of specifying the location ... proxyr.tj.sp.gov.br:8080/Docs/html/docs/html/AdminGd10.htm - 42k - Cached - Similar pages

26. Glossary of Terms

CMIP: Common Management Information Protocol. The OSI network management protocol. ... Electronic Mail (email): A system whereby a computer user can exchange along with data and a number of fields which define such things as the URL (Uniform Resource Locator) -- The standard way to give the address

www.net.berkeley.edu/dons/glossary/ - 64k - Cached - Diretar cades

27. Title Index

[Was Routing Information Protocol (RIP). Replaced by STD 56. Anycast Rendevous Point (RP) mechanism using Protocol Independent Multicast (PIM) A Uniform Resource Name (URN) Namespace for the Near Field Communication

(NFC) Cable **Device Management Information** Base for Data-Over-Cable Service Interface ...

dret net/fic-index/fittes - 977k - Cached - Similar pages

28. [PDF] NOORUL ISLAM COLLEGE OF ENGINEERING, KUMARACOIL DEPT OF COMPUTER ...

File Format: PDF/Adobe Acrobat - View as HTML

Router operates like **electronic** postal workers that evaluate and **forward** ... URL (Uniform Resource Locator): It is a specification for identifying an
DatagramPacket class to provide for **communication using** the UDP protocol. ...
Embedded Styles -Style **information** is **defined** in the document head **using** the ...
winodpin.com/blog/wy-no-men/upicads/2008/04/ib pdf - <u>Styles bages</u>

29. Glossary

[RFC 3289] Management Information Base for the Differentiated Services
Architecture. The charter of this group is to develop specifications for using
forward error midcom, Middlebox Communication. IETF working group,
Transport area. urfreg, Uniform Resource Locator Registration Procedures. ...
www.networkscroery.com/enpiglossary.htm - 205k - (Jaches - Similar seaso).

30. Cover Pages: Extensible Markup Language (XML)

The Charles F. Goldfarb Series on Open Information Management. XML Mail Transport Protocol (XMTP) for XML SMTP and MIME Representation SML also brings to the smart device applications many IDL features that have been to XML system identifiers, which are Uniform Resource Identifiers [URI]. ... xml coverpages organization. 425k - Geologic - Geologic - Geologic - Series goated by B Cover - Gled by 32 - Betaled series - Add Americans.

31. XML Glossary

ECMA (Standardizing Information and Communication Systems) No single encoding could contain enough characters: for example, the European Union alone ... URI (Uniform Resource Identifier). A compact string of characters for It's remote procedure calling using HTTP as the transport and XML as the ... www.ttc.ku.eduh-sgaech/767XML, Glossary.htm - 179k - Capter - Gloder - Gloder

32. Used Cisco Systems: Firewall Glossary of Terms

The UDP transport protocol is typically used for limited information requests and queries A complete communication exchange between two network objects. Run-time session controls are defined using security policies. ... Uniform Resource Locator. A method of specifying an address for a network server on ... www.adlancedatacom.com/manufacturers/dosco-systems/litewall/glossary.asp - 79% - Saction - Santiac.aspec

33. vCalendar The Electronic Calendaring and Scheduling Exchange ...

communicating PDI information across many common communication channels such as ... exchange may take place using desktop application interaction techniques; such ... network transport; such as LAN or WAN protocols, switched telephone ... URL: Uniform Resource Locator; a string expression that can represent any ...

www.softhelp.ru/fileformat/vcs/vcal-10.htm - 140k - Context - Strollar pages

34. Glossary

The transport mechanism to pass attributes as an extension to the core The Uniform Communication Standard Electronic Data Interchange standard used for Direct A protocol for exchange of Information in a decentralized, Uniform Resource Locators are the form of address used on the World Wide Web. ... baroodes go to opyidon_bood/Soldions/Glossary/tabid/253/Default.aspx -7124 - Cashest - Similar Locator

35. [PDF] Financial Information eXchange Version 5.0

File Flormat: PDF/Adobe Acrobat - View as HTML

benefit from efficiencies derived through the electronic communication of The Financial Information Exchange (FIX) Protocol is a message standard ... Under this framework the FIX Application Protocol can use any transport technology in addition (Uniform Resource Locator), commonly referred to by web ... www.bvc.com.co/bvcweb/administracion/editor/homeFiles/FIX-5.0_VOL-1_Introduction odf - Santiat, season

36. Glossary of Network Security Terms

Feb 19, 2009 ... Under the Information Technology Management Reform Act (Public Law Standardized MIB formats allow any SNMP tool to monitor any device defined by a MIB. Point-to-Point Protocol (PPP) is a protocol for communication URL

(Uniform Resource Locator). An address in a standard format that ... www.vpn-technology.com/Glossary.htm - 204k - Cached - Similar pages

37. Internal Revenue Manual - 10.8.6 Secure Application Development

Network protocols and communication services used by the application, Uniform Resource Locators (URL)s, and Uniform Resource Identifiers (URI)s entered The application's account management mechanism shall not allow the been maintained along with the rest of the program or may contain information ...

www.irs.gov/irm/part10/ch03s07 html - 329k - Cached - Signlar pages

38. [PDF] HANDBOOK ON STRENGTHENING THE WOMEN'S INFORMATION NETWORK FOR ASIA...

File Formati PDF/Adobe Acrobat - View as HTML

information mechanisms. The secretariat's ongoing activities for WINAP includes: Internet has a unique address called a uniform resource locator increasingly active in using electronic communications, and which will define overall systems requirements and management priorities. ... www.unescap.org/ESID/GAD/Publication/computer.pdf - Similar pages

39. [PDF] WAGUAPROF

Pile Format: PDF/Adobe Acrobat - View as HTML

Nov 10, 1999 ... forwarding functionality, which may exist in a stand-alone HTTP proxy or ... Uniform Resource Locator. WAP. Wireless Application Protocol Profile attributes MUST be defined using a traditional name and value pair syntax. The format and communication mechanism of the UAPROF information ...

www.wapterum.org/what/technical/SPEC-UAProf-19931110.pdf - Similar pages

40. [PDF] INTOSAI EDP Committee website - glossary of terms

File Format: PDF/Adobe Acrobat - View as HTML

(1) In IT Service Management, a condition identified by successful diagnosis of the root cause of a problem suite of protocols, which forms the basis of information exchange In data communications, an electronic communication containing Uniform Resource Locator. A uniform method where a host can ... www.intospiilaudit.org/glossary.pdf - Direitar pages

41. Panasonic Security Products - i-Pro - Glossary of Terms

It only needs to contain information indicating a new color as the display ... The term is used to define the speed of communication lines or services and ... (which technically is called a Hypertext Transport Protocol or HTTP server) in in a Uniform Resource Locator or URL) or clicking on a hypertext link, ... www.panasonic.com/business/security/ipro/glossary.asp - 88k - Cached - Similar pages

42. [PDF] The Wireless Communications Transfer Protocol (WCTP)

File Formati PDF/Adobe Acrobat - View as HTML

RFC 1738, Uniform Resource Locators (URL): http://www.ietf.org/rfc/rfc1738.txt ... Other secure transport mechanisms can be used with WCTP. ... In the case of error responses, this text string could contain portions of information to the WCTP application. This specification does not define the standard ... www.wolp.org/release/wotp-v1r3_update1.pdf - Signita; pages

43. WebSphere Development Studio Client glossary

It also contains documents that manage server-to-server communication and server a pathname to access VOB data using any view that is active on that host. An object can be identified by an object-selector string, which includes a Uniform Resource Locator (URL): The unique address of an information ... publib boulder ibm.com/infocenter/ladthelp/v7/fi/topic/com.ibm.iseries.glossary.doc/ glossary.htm - 204k - Cached - Similar pages

44. Glossary: glossary | Xwire

In this environment, the access point not only provides communication with Routing Information Protocol(RIP1) is defined as a means by which routing ... SNMP agent: The application or daemon that runs on a network device and URL: Uniform Resource Locator is the address that defines the route to a file on ...

www.xwire.com/glossary - 115k - Cartied - Striller pages

45. [PDF] Knowledge Management and Information Technology (Know-IT Encyclopedia)

Five Format: PDF/Adobe Acrobat

have begun using a balanced scorecard approach to exchange experiences and lessons The Information Resources Management College (IRMC), part of the interface standards and protocols for information transport, content,

format, computer, time of request, uniform resource locator (URL) requested, ...

www.dau.milpubs/podiknow-d.pof - <u>Sendar pages</u>

by th Pollock - <u>86.6 versions</u>

46. Telecom Dictionary I: Phone Service Definitions

The interface in the communication-satellite service is that point where communications Class 1 contains information that is required to know how to use the signal, Intelligent Network Application Protocol (INAP) - A protocol for and files are Identified by universal resource locators (URLs). ... www.taxsvitch.com/Definitions/telecom_dictionary_chtml - 210X - Cactiod - Satisfactores

47. Chapter 1 INTERNET TECHNOLOGIES

Using information from the profile, NetEdge fills in the known fields. (Uniform Resource Locator) is of the general form communication protocols can be tracked and protected by commonly available firewalls. The primary mechanism for performing application verification is done through ...

www.spingerlink.com/index/1/g783109437836.pdf - 3chiescheeps

48. Javvin Networking Information and Resources

Javvin sitemap for all networking products, information and resources. ... X.25: ITU-T WAIN communication protocol and Signaling X.75 ... CMIP: Common Management Information Protocol ... Biometric Technology and Its Application to Information Security PIESS: Personal Information Exchange Syntax Standard ... www.javvn.com/sitemap.html - 779k - Castred - Standard assess

49. Electronic Information Management

Information and communication technologies available in different settings ...
Electronic information management can be defined as the management of
identified using ERMS as this gives a clear indication of the level of use and
continue to use the URL, or the Uniform Resource Locator, as the unique ...
yunus hacettepe solute/stordaryayinlar/RTO-LS-MC-002-Pro-Prints-2004.pdf
- Similar Lactor
by 8 IMC

50. The Internet for People Who Can't

The exchange of information takes place using communications languages, ... Modem: An electronic device (either a small box with lights outside the computer or a printed ... Serial Line Internet Protocol (SLIP): A common communication protocol ... unambiguous address called a Uniform Resource Locator or URL ... www.craigbatl.com/intern98.tims - 134x - Cached - Sondar pages

51. [DOC] BID TEMPLATE

File Format: Microsoft Word - View as HTML

and define the IA5 String syntax using using the OID GILS - Application Profile for the Government Information Locator Service - FIPS ... Rationale: TCP/IP is the only widespread non-proprietary transport protocol standard. Description: Secure HTTP provides secure communication mechanisms between an HTTP ... www.sqov.vic.gov.au/Cocuments/VOG-Directory-Services-Report doc - Similar spaces

52. eLib standards guidelines

Nov 24, 1998 ... Files containing information about layout and content, for example ODA, RTF and TeX. ... an error-free transport level protocol is used for communication i.e. no It is independent of any system, device, language or application and The URL (Uniform Resource Locator) is fundamental to recent ... www.ukch.ac.uk/services/el&/papers/other/standards/version1/ - 80% - Cached - Settilac.caces

53. [PDF] Mac OS X Server

File Format: PDF/Adobe Acrobat - View as HTML

disk drive A device that contains a disk and reads and writes data to the disk. the same communication path, using the same protocol. ... transport, and management. The term information technology addresses all aspects of URL Uniform Resource Locator. The address of a computer, file, or resource that can ... irrages and a conference irracoszidocs/Mac_OS_X_Server_Glossary_v10.5.pdf - 2cm/sc.ussats

54. [DOC] $\underline{\text{AGENT-SUPPORTED}} \, \underline{\text{INFORMATION}} \, \underline{\text{VISUALIZATION}}$

File Format: Microsoft Word - View as HTML

Early in the program, the DARPA SUO/SAS program **identified information** Messages between egents could be sent **using** any available **transport**. We

discuss two key areas below, geolocation and communication protocols. as open source across the web and via email along with a suite of applications. ... www.csce.eak.edu/~cwi/DOCS/2003-09--FINAL-REPORT--ASIV-SBIR.doc - Corollar pages.

55. Library, Glossary Reference - Solaris Developer Reference

A protocol used for communication between CORBA object request brokers.
JavaServer Faces conversion model: A mechanism for converting between stringbased markup generated by It contains vital information needed to coordinate
enterprise URL: Uniform resource locator. A standard for writing a textual ...
developers sun.com/cotario/library/neference/grassary/index.spp - 187k
- Capitais - Standar needs

56. HYPERMEDIA INTEROPERABILITY: NAVIGATING THE INFORMATION CONTINUUM

Using KMS as a general file management and communication framework was very Hall, 1994) using TCP/IP as a transport mechanism for the messages. The Uniform Resource Locator (URL) allows any object on the Internet to be A Computation contains information for the user (name and explanation of ... eprints eas sofon ac. uk/92/34/2/dem_firests_printable.pdf - Smith 1998 by DE Millard - Galdak & - Ensated anticles - 8.00 versions

57. [PDF] An Implementation of the Internet Call Waiting Service using SIP

Fiss Format: PDF/Adobe Acrobat - <u>View as HTML</u>
The term "Uniform Resource Locator" (URL) refers to the subset of URI that identify ... ENTITY HEADER FIELD: They <u>define information</u> about the message-body ... establishment of the desired <u>communication</u> between the caller and the callee. RTP/AVP - the IETF Real-time Transport Protocol using the ... www.os.columbia.edu/sig/artotes/fispi8912_implementation.pdf - <u>Simplan_Loade</u>

58. February 1993 INTERNET MONTHLY REPORTS ...

Real-time Multicast Communications and Applications On February 9th, ... The video server also contains a WAIS database of video Information, the router is being carried over X.25 (the main transport mechanism for IP across JANET. in this effort: a Uniform Resource Locator (URL) which is a string which ... mirror facebook commissions under the Market Contains of the Contains of the Market Contains o

59. [PPT] Introducing TCP/IP

Fite Format, Microsoft Powerpoint - <u>View as HTML</u>
1993: The Internet Network Information Center (InterNIC) is chartered to manage domain names ... A BCP does not **define a protocol** or technical specifications; rather, ... in OSI Standard 7498 breaks network **communication** into seven layers, which is why you sometimes see Web **Uniform Resource Locators**, or URLs, ... web syr.adu/~djmota/sta452/cm_01.ppt - <u>Senial seases</u>

60. PDFJ Proceedings of The 5 Australian Information Security Management ...

File Format: PDF/Adobe Acrobat

Department of Communications Information Technology and the Arts (2005)
Diffie-Hellman is a key exchange mechanism design to operate in a secure
manner applications Uniform Resource Locator (URL) which is from where
these conform to the protocols defined in the application and transport layers ...
soisses scis.scu.edu au/conferences2007/proceedings/2007/aism/A/SM_proceedings.
pdf - Santifat seases

61. [PDF] Mobile Agents in Telecommunications

File Format: PDF/Adobe Acrobat

The communication and management services within TINA are considered as ... information transport mechanism used to exchange information between represented as a string and takes the form of a uniform resource locator (URL) as defined cessed since it needs to be forwarded along all the route the agent ... edocs to be find dedicast 1999 buses ingo pdf - <u>Binder Canes</u>. by 1 Buses - 1999 - <u>Class by 1 - Bested autorise</u>

62. (WO/2005/114363) SYSTEMS AND METHODS FOR ENTERPRISE COLLABORATION

In various embodiments, a messaging layer 400 provides a communication medium for the ... to any particular communication protocol or physical layer transport. with a particular role that have an active application matching appType. The collaboration process by using presence information can dynamically ... www.wipo.infocdadeniwo.jsp?wp=20051140838i8=WO20051140838iDSPLAYADESC-116K-Cantesi-Sindecrosess

63. [PDF] AdventNet Web NMS 4.7.0 Glossary and FAQ

File Format: PDF/Adobe Acrobat - View as HTML

What is the communication mechanism between the Web NMS client and server? The AdventNet Web NMS allows for viewing and using active network maps from Protocol Data Unit is defined as the Information that is delivered as a unit among Abbreviation of Uniform Resource Locator, the global address of ... www adventnet comproducts/webnms/webnms/_help_glossary_and_faq.pdf - Senter_access

64. News Room » CableLabs Glossary

Or across-industry alliance of companies that has defined protocols for Hypertext Markup This network transports information on communication links with a dedicated, A passive device (one with no active electronic components) which Uniform Resource Locator (URL) The address of an Internet site. ... www.cabickate.com/news/glossary/ - 285k - Gached - Senter pages

65. Glossary of Common UNIX and General Computer Terms

A symbol containing information that can be used by shells or commands. A kernel mechanism that supports the implementation of device drivers and A communication path over which a transport user can exchange data with a URL (Uniform Resource Locator). The address of a file or other resource ... https://doi.org/10.1009/10.10

66. Glossary frame

American Standard Code for Information Exchange is the code that most computers A device used to connect LANs by forwarding packets across connections at the A protocol defined by ISO and used in X.25 communications A mechanism called the Uniform Resource Identifier (URI) establishes a common ...

https://60.24.160.65444/uw/hslp/En/sysadmin/whgdata/whm/23.htm - 1k - Cached - Smilar pages

67. [PDF] 1 Glossy cov VER 2 2nd Ed indd

File Format: PDF/Adobe Acrobat - View as HTML

application, constituting a logical single communication of information, but consisting of ESDI (Enhanced Small Device Interface): A defined, common electronic IP address (Internet Protocol address): A string of four numbers URL (Uniform Resource Locators): The addressing system used in the World ... www onsides.com/DOCS/TSCGlos/Preprint/Version.pdf - Section 2020.

68. [PDF] A Subscription Management System (SMS) in Mobile Internet Services ...

File Format: PDF/Adobe Acrobat - View as HTML

The solution to this problem is to attach each device to a communication network. ...
Finally, the application layer contains the logic needed to support the Uniform
Resource Identifiers (URI) provide a simple and extensible means a protocol to
exchange information without sending and receiving defined ...
www.reada.kth.se/ubbltheixigruktiver/sebbltepoortistoe/2006/reprovite/06/

www.rada.kth.se/ubilidangi/grichtes/polartepperlistes/20o/rappertentor/ shokri_ab_0504.pdf - <u>Sentot cause</u> by MA Shokti - <u>Restet unteres - 86 s entions</u>

69. Downloaded form http://www.laynetworks.com ; solutions@laynetworks ...

Each communication that passes along the wire decreases the amount of available An Edge Device obtains forwarding descriptions using the route SMTP (Simple Mail Transport Protocol) The Internet electronic mail protocol Uniform Resource Locator (URL) Also called a Universal Resource Locator www.laynetworks.com/download/sill bit - 502k - Caches - Similar Lagse

70. jxta: JXTA Company Spotlight

May 28, 2007 ... DCRL(Digital Content **Resource Locator**) can address any PC's **resources** ... "My Personal Portal" uses JXTA as a **communication protocol** between of Web-based **applications** and P2P networking, the **uniform resource** Users will search for, browse and download **information using** S2S Consumer Peers. ...

https://pxta.dev.java.net/companyarchive.htm - 131k - <u>Cached - Syntlar pages</u>

71. THE WORLD WIDE WEB

HTTP is the primary transport protocol of the Web, while HTML defines the organization Much like a modern database management system can define new fields, ... HTTP uses the same underlying communication protocols as do all the at the moment is as an information delivery device - what some authors have ... dangemouse by mount and in the moment of the control of the

72. [PDF] HR LOB Technical Model Version 2

File Format: PDF/Adobe Acrobat - View as HTML

delivery model where HR services relating to human resources information systems management services, communication services, and the physical environment Service Transport – These consist of the protocols that define the A storage device is a machine that contains nothing but a disk or disks for ... www.com.gov/agov/documents/architecture/HRLOBTM/2.pdf - Sanda agovs.

73. Punk Rocker I-(Black Eye ## waffles - or so Eenie says :D #(Lips ...

L2F Layer Two Forwarding L2TP Layer Two Tunneling Protocol L8R Later (as in SNA Character String / SWITCH Central System / System Communication Services Transport Independent Remote Procedure Call TIS Technical Information URI Uniform Resource Indicator URL Uniform Resource Locator URL Uniform ...

lomelli ses Alpub/mennuoc 1/Furny/actonym-complete.txl = 312k - Cached = Similar pages

74. [PDF] AustrAliAn Government information And CommuniCations teChnoloGy ...

File Format: PDF/Adobe Acrobat

confidentiality of Information and communication, the appropriate passed large arguments in the uniform resource locator for a webpage. should match the size of the device, and finally a 32-character long string, which is the An agency enables Transmission Control Protocol port forwarding, ... www.dsd.gov.aw/_fibipdf_docfictn/f584_Dec/8_unclass.pdf - Seates gages

75. Network Working Group R. Shirey Request for Comments: 2828 GTE ...

Information objects at higher layers are abstractly defined to be implemented with (C) SSL is layered below HTTP and above a reliable transport protocol (TCP). smart card (I) A credit-card sized device containing one or more In common practice, URIs include uniform resource locators [R2368] and ... www.iefi.org/itc/itc2828 tct - 479k - Qachea - Objects Gaste

76. [PDF] Glossary of Interactive Marketing Terms Glossary of Interactive ...

File Format: PDF/Adobe Acrobat

An electronic device that sits on top of one's TV set and allows it to connect ... information and applications for higher-end operations such as URL (Uniform Resource Locator). The unique identifying address of any ... a specification for a set of communication protocols to standardize the way that wireless ... www.iab.gr/downloads/Tocls/AB_Glossary.odt&PHPSESSID...-Sandar.aaacs

77. [PDF] INFORMATION SYSTEMS IN THE ARTS AND HUMANITIES

File Format: PDF/Adobe Acrobat - View as HTML

c) The operating system and network communication protocols contains a lot of "<" or "8" characters the XML element can be defined as a CDATA when using Query Strings to track information on a visitor to a website. The Internet Uniform Resource Locator (the URL) is an apt metaphor for the ... www.prosentient.com.au/artisinformatics.pdf - Ginder vaces:

78. [PDF] WP4 Final Report

File Format: PDF/Adobe Acrobat - View as HTML

define different service levels for each user application by using communication protocol targeted at low data rate, long battery life wireless network information flow across remote entities, despite the actual transport mechanism. It is dynamic transfer URL (Uniform Resource Locator) allocation, ... www.mgnd.eu/public/deliverables/RINGRID-WP4-D4_3-2008-02-13-Final-poli-service across the control of the con

79. Network Working Group E. Rescorta Request for Comments: 3552 RTFM ...

Communication Security Different authors partition the goals of communication It should contain such information as the resources available to an attacker in the VRRP protocol exchanges are authenticated using the mechanisms defined by the "Uniform Resource Locators (URL)", RFC 1738, December 1994. ... www.isuedu/in-notest/ic3552.td - 103k - Geoleed - 30dischages.

80. [PDF] Dynamic context monitoring for adaptive and context-aware applications

File Format: PDF/Adobe Acrobat - View as HTML

Uniform Resource Locator, identifier for resource locations In this example a built-in data type —string" is defined for all the simple elements, connected sensors use their own communication protocols and the controlling the applications with a mechanism to receive the context information they ...

www.vtt.fr/int/pdt/publications/2007/P651 pdf - 3/millar puges by J Laitakari - 2007 - Betated collicles

81. [PDF] NIHR Information Systems Programme

File Formati PDF/Adobe Acrobat - View as HTML

Develop an information management and systems infrastructure; the R&D Initially this communication is likely to take the form of the secure messaging of active projects include those that would be carried forward from Uniform Resource Locator which identifies a resource and provides a means of ... www.nihr.ac.uk/files/pdfs/NiHR4.2_ROMIS_Discussion_Paper_v1.pdf - 3gmlar pages

82. CHAPTERS TITLES AUTHORS Part one Information and communication ...

The Internet facilitates the exchange of electronic data field of application of information and communication under that protocol anywhere in the world using the set-up Uniform Resource Locator, or URL) consisting of the in three cities, along with its active support for academic ... ics.teeds.ac.uk/papers/pmt/evhloits/1057/unesco.pdf - Smilar pages

83. [PDF] Applying Security Practices to Justice Information Sharing

File Formet: PDF/Adobe Acrobat

electronic information exchange throughout the justice and public safety be identified on office locator boards or by name plates affixed to the room justice applications. While attempts have been made to define security levels screening issues are handled, communication (along with procedure ... www.it.ojp.gov/documents/200404_ApplyingSecurityPractices_v=2.0.pdf Similar pages

84. INFORMATION SECURITY POLICY

Laptops, Servers, Communication equipments where SWAN staff manages access Do not forward SWAN/Customer IP related information to Personal email SNMP (Simple Network Management Protocol) Community strings should not be a the computer you are using to another computer. URI (Uniform. Resource ...

www.cert-in.org/in/knowledgebase/guidelines/SWAN_Guideline_V1.0 pdf - Similar paces

85. [PDF] A Taxonomy of Data Grids for Distributed Data Sharing, Management ...

File Format: PDF/Adobe Acrobat - View as HTML

Communication: Consists of protocols used to query resources in the Grid Fabric or consistent metadata information means that Data Grids contain data that is The data transport mechanism is one of the fundamental technologies which is a URL (Uniform Resource Locator) to the data file on storage. ... www.gridbus.org/reports/DataGridTaxonomy.pdf - Similar gazes by G Venugopal - C8ed by 77 - Related articles - Ad 32 vensions

86. Index (as of April 4, 2009) Centralized Conferencing (XCON) Media ...

A Uniform Resource Name (URN) Namespace for The Near Field Communication Forum It contains an IPv4 address type control mechanism, mobile IPv4 home At the same time, exchange of information between the application and the threat analysis on the Locator/ID Separation Protocol (LISP) as defined in ... xml resource.org/public/tto/bibxml3/index xml - 977k - Cached - Similar pages

87. [PDF] Glossary of Interactive Advertising Terms From: Interactive ...

File Format: PDF/Adobe Acrobat - View as HTML

an electronic device that sits on top of one's TV set and allows it to connect \dots information and applications for higher-end operations such as medical/ healthcare URL (Uniform Resource Locator) - the unique identifying address of any ... a specification for a set of ${\color{red} \textbf{communication protocols}}$ to standardize the ... www.kausink.net/avinashi/lab-glossary%20of%20interactive%20ad%20terms.pdf - Septa pages

88. Glossary title:XML Acronym Demystifier ### Author:Mario Jeckle ...

LOTP|Layered Object Transport Protocol Layered Object Transport Protocol LOTP is ... BPML itself does not define any application semantics such as particular content, and method of the transaction exchange; along with the roles and (Quote from W3C site) More Information URL|Uniform Resource Locator ... prdownloads.sourceforge.net/xmlad/kmlad.gls - 336k - Cached - Similar pages

89. Data Fusion For Delivering Advanced Traveler Information Services

C2C communications enables information exchange about signal status, Also, the object may be well defined and identified if it comes from a "trusted" for the

development of uniform, nationally recognized communication profiles and ... file transfer mechanisms in a roadside device of traffic management ...

nti bis gov/lib/podocs/repts_te/13827.html - <u>Strillar pages</u>

90. IPDFI Altered States: Electronic Commerce and Owning the Means of Value $\underline{\ }...$

File Format, PDF/Adobe Acrobat - View as HTML

program," "providing encrypted Information to transport protocol layer services," exchange devices comprising the means for communication between Electronic Wallet: A software application program or hardware device such URL: A URL (Uniform Resource Locator) is the standard way to reference ... sit stanford eduipdiffram-attered-states pdf - Smiths Laborators and by 8D Plane.

91. [PDF] Internet Standards for the Web Internet Standards for the Web

File Formati PDF/Adobe Acrobat - View as HTML

Providing a forum for the exchange of Information within the Internet community between vendors, "PostScript" subtype is also defined for the transport of PostScript material. Managing web servers using Simple Network Management Protocol: Uniform Resource Locator Registration Procedures (urlreg) ... larry massiver netwows/strongers and "Simple Network Simple Network Simple Network Network Simple Network Networ

by T Notes - All Eversons

92. [PDF] WS://IM: A Software Framework for Multimodal Web Interaction ...

File Formati PDF/Adobe Acrobat - View as HTML

along pathways identified at development time. ... is completely distinct from the abstract Web application that contains it. unsolicited information using voice when she is unable to make a choice among ... communication protocols between the components. RFC 1738: Uniform Resource Locators (URL). ... scholar its yt eduthesestayaitableid 05122004-172908/unsctricted/thesis.pdf - 364846.08088

by CS Williams - 2004 - <u>Fierded articles - Atl 3 versions</u>

93. (PDF) LIBRARY AND INFORMATION SCIENCE GLOSSARY OF TERMS

File Format: PDF/Adobe Acrobat - View as HTML

Also refers to an **electronic** eavesdropping **device** installed in a telephone receiver, HyperText **Transport Protocol** allows servers and browsers to communicate on retrieval, **communication**, and **management** of **information**-from typewriters to **Uniform Resource Locator**. See URL **Uniform** heading ... www.aunio.um edu myspublications/LIS-GLOSS-RY pdf - <u>Service pages</u>

94. Cisco IOS Voice Configuration Library Glossary [Support] - Cisco ...

Company that builds and operates communication networks in metropolitan areas and Device that performs application-layer conversion of information from one Transport of line-supervision signals in the media stream using NTEs. Session Initiation Protocol Uniform (or Universal) Resource Locator. ... www.oisco.com/en/US/docs/ios/12_3/v/_c/c/scc_jos_voice_configuration_library_glossary/VOLgloss html - 222k - __acced_ - 3cc/acced_cos_voice_configuration_

95. [PDF] A Concept-Based Information Retrieval Approach for User-oriented ...

File Format: PDF/Adobe Acrobat

within the knowledge structure are already identified and information on the defined using a Document Type Definition (DTD), which describe the The list of results contains the Uniform Resource Locator (URL) as well as the Manager (MA) handles the communication from other services to the ... www.ikm.htgpaz.ai/www/Teachingtheses/2006/...Based%20information%20Retrieval%20Approach%20tiof%20...- Statisty majors.

96. Mujo Web Designs Glossary of Terms

A storage device is a machine that contains nothing but a disk or disks for storing data. ... Wireless Application Protocol Abbreviated as WAP, a protocol that As the Internet and other forms of electronic communication become more ... URL Acronym for Uniform Resource Locator, a standard method of ... www.mujo.com/glossary.cfm/?1erm/Dx292 - 103x - Gached - Sankar gazne.

97. (Microsoft Word - Interoperability in IDM - Rundle and Trevithick ...

are still grappling with how even to **define** interoperability in this space. information they may also be created by the User using their Identity Agent. ... The newer identity protocols allow transport of any kind of article notes that a "Uniform Resource Locator (URL) is a URI that, in addition to ... pagers som controls/Definery clin/SSRN 10982701 code727672 pdf?

papers.sem.com/sois/Usilvery.com/softh/_fusez/01_code/2/6/ abstractid=962/01&mirid=1 - <u>Strike pages</u>

by MC Randie - Olted by 1 - Related articles

98. [DOC] The EPCglobal Architecture Framework

File Flormat, Microsoft Word - View as HTML

Jun 13, 2007 ... EPCglobal standards include data standards and **information exchange** standards For example, an RFID **application using** EPC tags that exists entirely as output the address (in the form of a **Uniform Resource Locator**, Section 11.3 describes the data protection **mechanisms defined** within ...

community gs1.org/apps/group_public/ ./Firel-2009%29EPCg/aba/%20Architecture% 20Framework%20Coc. - <u>Sinder pages</u>

99. [PDF] EPC Information Services (EPCIS) Version 1.0 Specification

File Format: PDF/Adobe Acrobat

Quantity Event (Section 7.2.11) contains information that may be the mechanisms defined in the EPCIS specification make absolutely no distinction Uniform Resource Names (URNs) [RFC2141] in the epc or epcglobal Application and provided to EPCIS infrastructure using the data capture operations ... www.epcglobalinc.org/standards/epos/epcis_1_9-standard-20070412.pdf - Section graphs

100. Glossary of Terms / The LPIC Program / Certification / Home - LPI -

Responsible for establishing an error-free **communication** path between network ... directory, A special type of file which **contains information** about other files, The **transport** layer in the TCP/IP stack is not **defined** in the same way; ... URL, Universal **Resource Locator**, An identifier for an address on the ... www.lpicrg/eng/cont/fication/the_lpic_program/glossary_of_terms_1 - 237k - Codess - Simple pages.

Tip: These results do not include the word "said". Show results that include "said".



forwarding information from active application on electronic device to exchange

Search within results - Language Tools - Search Help - Dissatisfied? Help us improve - Try Google Experimental

Google Home - Advertising Programs - Business Solutions - Privacy - About Google